

**REMARKS/ARGUMENTS**

This Amendment is being filed concurrently with an Appeal Brief in this case which appeals the rejection of claims 10, 12-20, 29-45, 48-49, 52-53, 55-56 and 59-60. In the Office Action, the Examiner has pointed out an antecedent basis problem with respect to claim 29 which has been corrected by the aforementioned amendments to claim 29. In addition, a further correct has been made to previously amended paragraph [0048] of the specification to correct a typographical error. Namely, the angle E in the last line of paragraph [0048] should be 20.782° as it is mentioned two lines above.


These amendments to claim 29 and to paragraph [0048] have been made to limit and reduce the number of issues on appeal. Accordingly, these amendments should be entered into the case for purposes of Applicants' appeal. Please note, that Applicants are traversing the Examiner's other rejections of claims 10, 12-20 and 29-40 under 35 U.S.C. § 112, second paragraph, as detailed in the concurrently filed Appeal Brief.

In view of the above, Applicants respectfully request that the Examiner enter the Amendment to the specification and claim 29 in order to better place this application in condition for the appeal which as noted above is being concurrently filed herewith.

Respectfully submitted,

**NIXON & VANDERHYE P.C.**

By: \_\_\_\_\_

  
Chris Comuntzis  
Reg. No. 31,097

CC:lmr  
901 North Glebe Road, 11th Floor  
Arlington, VA 22203-1808  
Telephone: (703) 816-4000  
Facsimile: (703) 816-4100